

## Apéndice 4

### LISTA DE ESPECIES DE HERPETOFAUNA REGISTRADAS EN LA ZONA

Antonio Ramírez, Rodrigo León-Pérez, Diego Noriega

CLASE	ORDEN	FAMILIA	ESPECIE
Amphibia	Anura	Bufonidae	<i>Incillius campbelli</i> Mendelson, 1994
			<i>I. valliceps</i> Wiegmann, 1833
			<i>Rhinella marin</i> Linnaeus, 1758
		Centrolenidae	<i>Hyalinobatrachium fleischmanni</i> Boettger, 1893
		Hylidae	<i>Agalychnis callidryas</i> Cope, 1862
			<i>A. moreletii</i> Duméril, 1853
			<i>Dendrosophus ebraccatus</i> Cope, 1874
			<i>D. microcephala</i> Cope, 1886
			<i>Scinax staufferi</i> Cope, 1865
			<i>Smilisca baudinii</i> Duméril & Bibron, 1841
			<i>S. cyanosticta</i> Smith, 1953
			<i>Tlalocohyla loquax</i> Gaige & Stuart, 1934
			<i>T. picta</i> Günther, 1901
			<i>Trachycephalus typhonius</i> Linnaeus, 1758
Craugastoridae	<i>Craugastor alfredi</i> Boulenger, 1898		
	<i>C. brocchi</i> Boulenger, 1882		
	<i>C. laticeps</i> Duméril, 1853		
	<i>C. loki</i> Shannon & Werler, 1955		
	<i>C. palenque</i> Campbell & Savage, 2000		
Eleutherodactylidae	<i>Eleutherodactylus leprus</i> Cope, 1879		
Leptodactylidae	<i>Leptodactylus fragilis</i> Brocchi, 1877		
	<i>L. melanonotus</i> Hallowell, 1861		
Leiuperidae	<i>Engystomops pustulosus</i> Lynch, 1970		
Microhylidae	<i>Gastrophryne elegans</i> Boulenger, 1882		
	<i>Hypopachus variolosus</i> Cope, 1866		
Ranidae	<i>Lithobates brownorum</i> Sanders, 1973		
	<i>L. vaillanti</i> Brocchi, 1877		
Rhinophrynidae	<i>Rhinophrynus dorsalis</i> Duméril & Bibron, 1841		
Caudata	Plethodontidae	<i>Bolitoglossa dofleini</i> Werner, 1903	
		<i>B. hartwegi</i> Wake & Brame, 1969	
		<i>B. mexicana</i> Bibron & Duméril, 1854	
		<i>B. muelleri</i> Brocchi, 1883	
		<i>B. rufescens</i> Cope, 1869	
		<i>Oedipina elongata</i> Schmidt, 1936	

CLASE	ORDEN	FAMILIA	ESPECIE
Reptilia	Squamata	Anguidae	<i>Celestus rozellae</i> Smith, 1942
		Corytophanidae	<i>Basiliscus vittatus</i> Wiegmann, 1828 <i>Corytophanes cristatus</i> Merrem, 1820 <i>C. hernandezii</i> Wiegmann 1831
		Iguanidae	<i>Iguana iguana</i> Linnaeus, 1758 <i>Lemnactus longipes</i> Wiegmann, 1834
		Eublepharidae	<i>Coleonyx elegans</i> Gray, 1845
		Gekkonidae	<i>Hemidactylus frenatus</i> Schlegel, 1836 <i>Sphaerodactylus glaucus</i> Cope, 1866 <i>S. millepunctatus</i> Hallowell, 1861 <i>Thecadactylus rapicauda</i> Houttuyn, 1782
		Phrynostomatidae	<i>Sceloporus serrifer</i> Cope, 1866
		Polychridae	<i>Norops biporcatus</i> Wiegmann, 1834 <i>N. capito</i> Peters, 1863 <i>N. lemuringus</i> Cope, 1861 <i>N. pentaprion</i> Cope, 1863 <i>N. rodriguezii</i> Bocourt, 1873 <i>N. sericeus</i> Hallowell, 1856 <i>N. tropidonotus</i> Peters, 1863 <i>N. uniformis</i> Cope, 1885
		Scincidae	<i>Mesosincus schwartzei</i> Fischer, 1884 <i>Plestiodon sumichrasti</i> Cope, 1867 <i>Sphenomorphus cherriei</i> Cope, 1893
		Teiidae	<i>Ameiva festiva</i> Lichtenstein, 1856 <i>Lepidophyma mayae</i> Bezy, 1973
		Boidae	<i>Boa constrictor</i> Linnaeus, 1758
		Colubridae	<i>Adelphicos quadrivirgatus</i> Jan, 1862 <i>Amastridium sapperi</i> Werner, 1903 <i>Clelia clelia</i> Daudin, 1803 <i>Coluber constrictor</i> Linnaeus, 1758 <i>Coniophanes bipunctatus</i> Günther, 1858 <i>C. fissidens</i> Günther, 1858 <i>C. imperialis</i> Günther, 1858 <i>Dendrophidion vinitor</i> Smith, 1941 <i>Drymarchon melanurus</i> Bibron & Duméril, 1854 <i>Drymobius margaritiferus</i> Schlegel, 1837 <i>Elaphe flavirufa</i> Cope, 1867

CLASE	ORDEN	FAMILIA	ESPECIE			
Reptilia	Squamata	Colubridae	<i>Imantodes cenchoa</i> Linnaeus, 1758			
			<i>Lampropeltis triangulum</i> LaCépède, 1788			
			<i>Leptodeira septentrionalis</i> Kennicott, 1859			
			<i>Leptophis ahaetulla</i> Linnaeus, 1758			
			<i>L. mexicanus</i> Bibron & Duméril, 1854			
			<i>Mastigodryas melanolomus</i> Cope, 1868			
			<i>Ninia diademata</i> Baird & Girard, 1853			
			<i>N. sebae</i> Bibron & Duméril, 1854			
			<i>Oxybelis aeneus</i> Wagler, 1824			
			<i>Oxyrhopus petola</i> Linnaeus, 1758			
			<i>Pseustes poecilonotus</i> Günther, 1858			
			<i>Rhadinaea decorata</i> Günther, 1858			
			<i>Scaphiodontophis annulatus</i> Bribron & Duméril, 1854			
			<i>Senticolis triaspis</i> Cope, 1866			
			<i>Sibon dimidiatus</i> Günther, 1872			
			<i>S. nebulatus</i> Linnaeus, 1758			
			<i>Spilotes pullatus</i> Linnaeus, 1758			
			<i>Tretanorhinus nigroluteus</i> Cope, 1861			
			<i>Tropidodipsas sartorii</i> Cope, 1863			
			<i>Xenodon rabdocephalus</i> Wied, 1824			
					Elapidae	<i>Micrurus diastema</i> Bibron & Duméril, 1854
					Viperidae	<i>Atropoides mexicanus</i> Bibron & Duméril, 1854
						<i>Bothriechis schlegelii</i> Berthold, 1846
			<i>Bothrops asper</i> Garman, 1884			
			<i>Porthidium nasutum</i> Bocourt, 1868			
	Testudines	Chelydridae	<i>Chelydra serpentina</i> Linnaeus, 1758			
		Dermatemydidae	<i>Dermatemys mawii</i> Gray, 1847			
		Emydidae	<i>Trachemys venusta</i> Gray, 1856			
		Kinosternidae	<i>Kinosternon acutum</i> Gray, 1831			
			<i>K. leucostomum</i> Bibron & Duméril, 1851			
		Staurotypidae	<i>Claudius angustatus</i> Cope, 1865			
			<i>Staurotypus triporcatus</i> Wiegmann, 1828			
	Crocodylia	Crocodylidae	<i>Crocodylus moreletii</i> Duméril & Bibron, 1851			

## Apéndice 5

### LISTA DE ESPECIES DE MARIPOSAS (LEPIDOPTERA: RHOPALOCERA) DEL RÍO LACANTÚN

Javier de la Maza, Roberto de la Maza

FAMILIA	SUBFAMILIA	ESPECIE		
Papilionidae (31)	Papilioninae (31)	<i>Battus ingenuus</i> (Dyar, 1907)		
		<i>B. laodamas copanae</i> (Reakirt, 1863)		
		<i>B. lycidas</i> (Cramer, 1777)		
		<i>B. polydamas polydamas</i> (Linnaeus, 1758)		
		<i>Eurytides salvini</i> (Bates, 1864)		
		<i>Heraclides anchisiades idaeus</i> (Fabricius, 1793)		
		<i>H. androgeus epidaurus</i> (Godman & Salvin, 1890)		
		<i>H. cresphontes</i> (Cramer, 1777)		
		<i>H. erostratus erostratus</i> (Westwood, 1847)		
		<i>H. pallas pallas</i> (Gray, 1853)		
		<i>H. thoas autocles</i> (Rothschild & Jordan, 1906)		
		<i>H. torquatus atsukoe</i> (Okano, 1985)		
		<i>Mimoides ariarathes branchus</i> (Doubleday, 1846)		
		<i>M. ilus belesis</i> (Bates, 1864)		
		<i>M. phaon phaon</i> (Boisduval, 1836) f. <i>ulopos</i> Gray, 1852; f. <i>metaphaon</i> Butler, 1874		
		<i>M. thymbraeus thymbraeus</i> (Boisduval, 1836)		
		<i>Neographium agesilaus neosilaus</i> (Hopffer, 1865)		
		<i>N. dioxippus lacandones</i> (Bates, 1864)		
		<i>N. epidaus epidaus</i> (Doubleday, 1846)		
		<i>N. philolaus philolaus</i> (Boisduval, 1836)		
		<i>N. thyastes marchandi</i> (Boisduval, 1836)		
		<i>Papilio polyxenes asterius</i> Stoll, 1782		
		<i>Parides erithalion polyzelus</i> (C. Felder & R. Felder, 1865)		
		<i>P. eurimedes mylotes</i> (Bates, 1861)		
		<i>P. iphidamas iphidamas</i> (Fabricius, 1793)		
		<i>P. panares lycimenes</i> (Boisduval, 1870)		
		<i>P. photinus</i> (Doubleday, 1844)		
		<i>P. sesostris zestos</i> (Gray, 1853)		
		<i>Protesilaus macrosilaus macrosilaus</i> (Gray, 1852)		
		<i>P. penthesilaus penthesilaus</i> (C. & R. Felder, 1865)		
		<i>Pterourus victorinus victorinus</i> (Doubleday, 1844)		
		Pieridae (36)	Dismorphiinae (5)	<i>Dismorphia amphione praxinoe</i> (Doubleday, 1844)
				<i>D. theucharila fortunata</i> (Lucas, 1854)
<i>Enantia albania albania</i> (Bates, 1864)				
<i>E. lina marion</i> Godman & Salvin, 1889				
<i>Pseudopieris nehemia irma</i> Lamas, 1979				
	Coliadinae (19)	<i>Anteos clorinde</i> (Godart, 1824)		
		<i>A. maerula</i> (Fabricius, 1775)		
		<i>Aphrissa statira statira</i> (Cramer, 1777)		
		<i>Colias philodice guatemalena</i> Roeber, 1909		

FAMILIA	SUBFAMILIA	ESPECIE		
Pieridae	Coliadinae	<i>Eurema albula celata</i> (R. Felder, 1869)		
		<i>E. arbela boisduvaliana</i> (C. & R. Felder, 1865)		
		<i>E. दौरा sidonia</i> (R. Felder, 1869)		
		<i>E. mexicana mexicana</i> (Boisduval, 1836)		
		<i>Kricogonia lyside</i> (Godart, 1819)		
		<i>Nathalis iole</i> Boisduval, 1836		
		<i>Pyrisitia dina westwoodi</i> (Boisduval, 1836)		
		<i>P. nise nelphe</i> (R. Felder, 1869)		
		<i>P. proterpia</i> (Fabricius, 1775)		
		<i>Phoebis agarithe agarithe</i> (Boisduval, 1836)		
		<i>Ph. argante argante</i> (Fabricius, 1775)		
		<i>Ph. philea philea</i> (Linnaeus, 1763)		
		<i>Ph. sennae marcelina</i> (Cramer, 1777)		
		<i>Rhabdodryas trite trite</i> (Linnaeus, 1758)		
		<i>Zerene cesonia cesonia</i> (Stoll, 1790)		
		Pierinae (12)		<i>Archonias brassolis approximata</i> (Butler, 1873)
				<i>Ascia monuste monuste</i> (Linnaeus, 1764)
<i>Charonias eurytele nigrescens</i> (Salvin & Godman, 1868)				
<i>Ganyra phaloe tiburtia</i> (Fruhstorfer, 1907)				
<i>Glutophrissa drusilla tenuis</i> (Lamas, 1981)				
<i>Hesperocharis pasion</i> Reakirt, 1866				
<i>Itaballa pandosia kicaha</i> (Reakirt, 1863)				
<i>Leptophobia aripa elodia</i> (Boisduval, 1836)				
<i>Melete lisimnia isandra</i> (Boisduval, 1836)				
<i>M. polyhymnia florinda</i> (Butler, 1875)				
<i>Perrhybris pamela chajulensis</i> J. & R. de la Maza, 1989				
<i>Pieriballa viardi viardi</i> (Boisduval, 1836)				
Nymphalidae (242)	Libytheinae (1)			<i>Libytheana carinenta mexicana</i> Michener, 1943
Danainae (5)		<i>Danaus eresimus montezuma</i> Talbot, 1943		
		<i>D. gilippus thersippus</i> (Bates, 1863)		
		<i>D. plexippus plexippus</i> (Linnaeus, 1758)		
		<i>Lycorea halia atergatis</i> Doubleday, 1847		
		<i>L. ilione albescens</i> (Distant, 1876)		
Ithomiinae (23)		<i>Aeria eurimedia pacifica</i> Godman & Salvin, 1879		
		<i>Callithomia hezia</i> (Hewitson, 1854)		
		ssp. <i>hedila</i> Godman & Salvin, 1879		
		ssp. <i>wellingi</i> Fox, 1968		
		<i>Ceratinia tutia</i> ssp. nov. (Lamas & J. de la Maza, MS)		
		<i>Dircenna dero</i> ssp. nov. (Lamas, MS)		
		<i>D. jemina</i> ssp. nov. (Lamas, MS)		
		<i>D. klugii klugii</i> (Geyer, 1837)		
		<i>Godyris nero nero</i> (Hewitson, 1855)		
		<i>G. zavaleta sosunga</i> (Reakirt, 1866)		

FAMILIA	SUBFAMILIA	ESPECIE	
Nymphalidae	Ithomiinae	<i>Greta morgane oto</i> (Hewitson, 1855)	
		<i>Hypoleria lavinia cassotis</i> (Bates, 1864)	
		<i>Hyposcada virginiana virginiana</i> (Hewitson, 1855)	
		<i>Hypothyris lycaste dionaea</i> (Hewitson, 1854)	
		<i>Ithomia leila</i> Hewitson, 1852	
		<i>I. patilla</i> Hewitson, 1852	
		<i>Mechanitis lysimnia utemaia</i> Reakirt, 1866	
		<i>M. menapis doryssus</i> Bates, 1864	
		<i>M. polymnia</i> (Linnaeus, 1758)	
		ssp. <i>lycidice</i> Bates, 1864	
		ssp. <i>isthmia</i> Bates, 1863	
		<i>Melinaea lilis imitata</i> Bates, 1864	
		<i>Napeogenes tolosa tolosa</i> (Hewitson, 1855)	
		<i>Oleria paula paula</i> (Weymer, 1883)	
		<i>Pteronymia cottyto cottyto</i> (Guérin-Ménévillé, 1844)	
		<i>P. parva</i> (Salvin, 1869)	
		<i>Thitorea harmonia hippothous</i> Godman & Salvin, 1879	
		Heliconiinae (21)	<i>Actinote guatemalena guatemalena</i> (Bates, 1864)
			<i>Agraulis vanillae incarnata</i> (Riley, 1926)
			<i>Dione juno huscuma</i> (Reakirt, 1866)
	<i>Dryadula phaetusa</i> (Linnaeus, 1758)		
	<i>Dryas iulia moderata</i> (Riley, 1926)		
	<i>Eueides alipha gracilis</i> Stichel, 1903		
	<i>E. isabella eva</i> (Fabricius, 1793)		
	<i>E. lineata</i> Salvin & Godman, 1868		
	<i>E. procula asidia</i> Shaus, 1920		
	<i>E. vivilia vialis</i> Stichel, 1903		
	<i>Euptoieta hegesia meridiania</i> Stichel, 1938		
	<i>Heliconius charithonia vazquezae</i> Comstock & Brown, 1950		
	<i>H. cydno galanthus</i> , Bates, 1864		
	<i>H. doris viridis</i> Staudinger, 1885; f. <i>doris</i> (Linnaeus, 1771); f. <i>transiens</i> (Staudinger, 1896)		
	<i>H. erato petiverana</i> Doubleday, 1847		
	<i>H. hecale zuleika</i> (Hewitson, 1854)		
	<i>H. hecalesia octavia</i> Bates, 1866		
	<i>H. ismenius telchinia</i> (Doubleday, 1847)		
	<i>H. sapho leuce</i> (Doubleday, 1847)		
	<i>H. sara veraepacis</i> Bates, 1864		
	<i>Philaethria diatonica</i> (Fruhstorfer, 1912)		
	Limnitiidinae (22)	<i>Adelpha barnesia leucas</i> Fruhstorfer, 1915	
		<i>A. basiloides</i> (Bates, 1865)	
<i>A. boeotia oberthurii</i> (Boisduval, 1870)			
<i>A. cocala lorzae</i> (Boisduval, 1870)			
<i>A. cytherea marcia</i> Fruhstorfer, 1913			
<i>A. delinita utina</i> Hall, 1938			

FAMILIA	SUBFAMILIA	ESPECIE	
Nymphalidae	Limenitidinae	<i>A. erotia erotia</i> (Hewitson, 1847)	
		<i>A. ethelda</i> ssp. nov. (Willmott, MS)	
		<i>A. felderi falcata</i> Godman, 1906	
		<i>A. iphicleola iphicleola</i> (Bates, 1864)	
		<i>A. iphiclus iphiclus</i> (Linnaeus, 1758)	
		<i>A. leuceria leuceria</i> (Druce, 1874)	
		<i>A. malea fundania</i> Fruhstorfer, 1915	
		<i>A. melanthe</i> (Bates, 1864)	
		<i>A. naxia naxia</i> (C. & R. Felder, 1867)	
		<i>A. nea sentia</i> Godman & Salvin, 1884	
		<i>A. paraena massilia</i> (C. & R. Felder, 1867)	
		<i>A. phylaca</i> (Bates, 1866)	
		<i>A. pseudoaethalia</i> Hall, 1938	
		<i>A. radiata</i> ssp. nov. (J. & R. de la Maza, MS)	
		<i>A. salus</i> ssp. nov. (Willmott, MS)	
		<i>A. serpa celerio</i> (Bates, 1864)	
		Apaturinae (4)	<i>Asterocampa idyja argus</i> (Bates, 1886)
			<i>Doxocopa laure laure</i> (Drury, 1773)
			<i>D. laurentia cherubina</i> (C. & R. Felder, 1867)
	<i>D. pavon theodora</i> (Lucas, 1857)		
	Biblidinae (42)	<i>Biblis hyperia aganisa</i> Boisduval, 1836	
		<i>Bolboneura sylphis lacandona</i> R. & J. de la Maza, 1985	
		<i>Callicore astarte patelina</i> (Hewitson, 1853)	
		<i>C. lyca lyca</i> (Doubleday, 1867)	
		<i>C. texa titania</i> (Salvin, 1869)	
		<i>Catonephele mexicana</i> Jenkins & R. de la Maza, 1985	
		<i>C. numilia esite</i> (R. Felder, 1869)	
		<i>Diaethria anna</i> (Guérin-Ménévillé, 1844)	
		<i>D. astala astala</i> (Guérin-Ménévillé, 1844)	
		<i>Dynamine artemisa</i> ssp. nov. (Lamas, MS)	
		<i>D. ate</i> (Godman & Salvin, 1883)	
		<i>D. dyonis</i> Geyer, 1837	
		<i>D. postverta mexicana</i> (d'Almeida, 1952)	
		<i>D. theseus</i> (C. & R. Felder, 1861)	
		<i>Eunica alcmena alcmena</i> (Doubleday, 1847)	
		<i>E. alpais excelsa</i> Godman & Salvin, 1877	
		<i>E. caelina augusta</i> Bates, 1866	
		<i>E. malvina malvina</i> Bates, 1864	
		<i>E. monima</i> (Stoll, 1782)	
<i>E. mygdonia omoa</i> Hall, 1919			
<i>E. sydonia caresa</i> (Hewitson, 1857)			
<i>E. tatila tatila</i> (Herrich-Schaffer, 1855)			
<i>E. volumna venusia</i> (C. & R. Felder, 1867)			
<i>Ectima erycinoides</i> ssp. nov. (R. & J. de la Maza, MS)			
<i>Epiphile adrasta adrasta</i> Hewitson, 1861			

FAMILIA	SUBFAMILIA	ESPECIE	
Nymphalidae	Biblidinae	<i>Hamadryas amphinome mexicana</i> (Lucas, 1853)	
		<i>H. feronia farinulenta</i> (Fruhstorfer, 1916)	
		<i>H. frebrua ferentina</i> (Godart, 1824)	
		<i>H. glauconome glauconome</i> (Bates, 1864)	
		<i>H. guatemalena guatemalena</i> (Bates, 1864)	
		<i>H. iphthime joannaes</i> Jenkins, 1983	
		<i>H. laodamia saurites</i> (Fruhstorfer, 1916)	
		<i>Mestra amymone</i> (Ménétriés, 1857)	
		<i>Myscelia cyananthe diaziana</i> R. & J. de la Maza, 1985	
		<i>M. cyaniris cyaniris</i> Doubleday, 1848	
		<i>Nessaea aglaura aglaura</i> (Doubleday, 1848)	
		<i>Nica flavilla</i> ssp. nov. (Lamas, MS)	
		<i>Pyrrhogyra edocla edocla</i> (Doubleday, 1848)	
		<i>P. neaerea hypsenor</i> Godman & Salvin, 1884	
		<i>P. otolais otolais</i> Bates, 1864	
		<i>Temenis huebneri</i> ssp. nov. (J. & R. de la Maza, MS)	
		<i>T. laothoe hondurensis</i> Fruhstorfer, 1907	
		Cyrestinae (4)	<i>Marpesia chiron chiron</i> (Fabricius, 1775)
			<i>M. corita corita</i> (Westwood, 1850)
			<i>M. harmonia</i> (Klug, 1836)
	<i>M. petreus</i> ssp. nov. (Lamas, MS)		
	Nymphalinae (17)	<i>Anartia fatima</i> (Fabricius, 1793)	
		<i>A. jatrophae luteipicta</i> Fruhstorfer, 1907	
		<i>Baeotus beotus</i> ssp. nov. (J. & R. de la Maza, MS)	
		<i>Colobura dirce dirce</i> (Linnaeus, 1758)	
		<i>Historis acheronta acheronta</i> (Fabricius, 1775)	
		<i>H. odius dious</i> Lamas, 1995	
		<i>Hypanartia godmanii</i> (Bates, 1864)	
		<i>H. lethe lethe</i> (Fabricius, 1793)	
		<i>Junonia evarete</i> ssp. nov. (Lamas, MS)	
		<i>Siproeta epaphus epaphus</i> (Latreille, 1813)	
		<i>S. stelenes biplagiata</i> (Fruhstorfer, 1907)	
		<i>S. superba superba</i> (Bates, 1864)	
		<i>Smyrna blomfieldia datis</i> Fruhstorfer, 1908	
		<i>S. karwinskii</i> Geyer, 1833	
		<i>Tigridia acesa</i> ssp. nov. (Lamas, MS)	
		<i>Vanessa atalanta rubria</i> (Fruhstorfer, 1909)	
		<i>V. virginiensis</i> (Drury, 1773)	
	Melitaeinae (20)	<i>Anthanassa argentea</i> (Godman & Salvin, 1882)	
		<i>A. dracaena phlegias</i> (Godman, 1901)	
<i>A. drusilla lelex</i> (Bates, 1864)			
<i>A. ptolyca ptolyca</i> (Bates, 1864)			
<i>A. tulcis</i> (Bates, 1864)			
<i>Castilia chiapaensis</i> (Beutelspacher, 1990)			

FAMILIA	SUBFAMILIA	ESPECIE		
Nymphalidae	Melitaeinae	<i>C. eranites</i> (Hewitson, 1857)		
		<i>C. griseobasalis</i> (Roeber, 1913)		
		<i>C. myia</i> (Hewitson, 1864)		
		<i>Chlosyne erodyle erodyle</i> (Bates, 1864)		
		<i>Ch. gaudialis gaudialis</i> (Bates, 1864)		
		<i>Ch. hippodrome hippodrome</i> (Geyer, 1837)		
		<i>Ch. janais janais</i> (Drury, 1782)		
		<i>Ch. lacinia</i> (Geyer, 1837)		
		<i>Ch. theona theona</i> (Ménétriés, 1855)		
		<i>Eresia clío clío</i> (Linnaeus, 1758)		
		<i>E. phillyra phillyra</i> Hewitson, 1852		
		<i>Phyciodes graphica graphica</i> (R. Felder, 1869)		
		<i>Tegosa guatemalena</i> (Bates, 1864)		
		<i>T. similis</i> Higgins, 1881		
			Charaxinae (30)	<i>Agrias aedon rodriguezi</i> Schaus, 1919 <i>A. amydon lacandona</i> R. & J. de la Maza, 1992 <i>Archaeoprepona demophon centralis</i> (Fruhstorfer, 1905) <i>A. demophon gulina</i> (Fruhstorfer, 1904) <i>A. meander phoebus</i> (Boisduval, 1870) <i>Consul electra electra</i> (Westwood, 1850) <i>C. fabius cecrops</i> (Doubleday, 1849) <i>Cymatogramma artacaena</i> (Hewitson, 1869) <i>C. herbacea</i> (Butler & Druce, 1872) <i>C. neidhoeferi</i> (Rotger, Escalante & Coronado, 1965) <i>C. pithyusa pithyusa</i> (R. Felder, 1869) <i>Fountainea euryppyle confusa</i> (Hall, 1929) <i>F. glanzi</i> ssp. nov. (J. & R. de la Maza, MS) <i>F. ryphea ryphea</i> (Cramer, 1775) <i>Memphis aureola aureola</i> (Bates, 1866) <i>M. dia dia</i> (Godman & Salvin, 1884) <i>M. hedemanni</i> (R. Felder, 1869) <i>M. mora orthesia</i> (Godman & Salvin, 1884) <i>M. moruus boisduvali</i> (Comstock, 1961) <i>M. oenomais</i> (Boisduval, 1870) <i>M. philumena xenica</i> (Bates, 1864) <i>M. proserpina</i> (Salvin, 1869) <i>Prepona dexamenus medinai</i> Beutelspacher, 1981 <i>P. laertes octavia</i> Fruhstorfer, 1905 <i>P. pylene philetas</i> Fruhstorfer, 1904 <i>Siderone galanthis</i> ssp. nov. (Lamas, MS) <i>Zaretis callydrias</i> (R. Felder, 1869) <i>Z. ellops</i> (Ménétriés, 1855) <i>Z. isidora</i> (Cramer, 1779) <i>Z. itys itys</i> (Cramer, 1777)
			Satyrinae (53)	<i>Amphidecta pignerator pignerator</i> (Butler, 1867) <i>Antirrhoea philoctetes casta</i> (Bates, 1865)

FAMILIA	SUBFAMILIA	ESPECIE
Nymphalidae	Satyrinae	<i>Caligo brasiliensis solanus</i> Fruhstorfer, 1904 <i>C. oedipus fruhstorferi</i> Stichel, 1904 <i>C. telamonius memnom</i> (C. & R. Felder, 1867) <i>C. uranus</i> ssp. nov. (J. & R. de la Maza, MS) <i>Cepheptychia glaucina</i> (Bates, 1864) <i>Chloreptychia sericeella</i> (Bates, 1864) <i>Cissia confusa</i> (Staudinger, 1887) <i>C. labe</i> (Butler, 1870) <i>Cissia</i> sp. aff. <i>labe</i> <i>C. pompilia</i> (C. & R. Felder, 1867) <i>C. pseudoconfusa</i> Singer, DeVries & P. Ehrlich, 1983 <i>C. terrestris</i> (Butler, 1867) <i>Cyllopsis hilaris</i> (Godman, 1901) <i>Dynastor darius stygianus</i> Butler, 1872 <i>D. macrosiris strix</i> (Bates, 1864) <i>Eryphanis aesacus</i> (Herrich-Schaffer, 1850) <i>Euptychia hilara</i> (C. & R. Felder, 1867) <i>E. jesia</i> Butler, 1869 <i>E. mollina</i> (Hübner, 1813) <i>E. westwoodi</i> Butler, 1867 <i>Forsterinaria neonympha</i> (C. & R. Felder, 1867) <i>Hermeptychia hermes</i> (Fabricius, 1775) <i>H. intricata</i> Grishin, 2014 <i>Magneptychia alcinoe</i> (C. & R. Felder, 1867) <i>M. libye</i> (Linnaeus 1767) <i>Manataria maculata maculata</i> (Hopffer, 1874) <i>Megeptychia antonoe</i> (Cramer, 1775) <i>Morpho helenor montezuma</i> Guenee, 1859 <i>M. luna</i> Butler, 1869 <i>M. theseus justitiae</i> Salvin & Godman, 1868 <i>Narope testacea</i> Godman & Salvin, 1878 <i>Opsiphanes boisduvallii</i> Doubleday, 1849 <i>O. bogotanus</i> ssp. nov. (J. & R. de la Maza, MS) <i>O. cassina fabricii</i> (Boisduval, 1870) <i>O. quiteria quirinus</i> Godman & Salvin, 1881 <i>O. tamarindi tamarindi</i> C. & R. Felder, 1861 <i>Pareptychia metaleuca metaleuca</i> (Boisduval, 1870) <i>P. ocirrhoe</i> ssp. <i>Pierella luna rubecula</i> Salvin & Godman, 1868 <i>Pseudodebis zimri</i> (Butler, 1869) <i>Splendeptychia kendalli</i> ssp. nov. (J. & R. de la Maza, MS) <i>Taygetina kerea</i> (Butler, 1869) <i>Taygetis inconspicua</i> Draudt, 1931 <i>T. leuctra</i> Butler, 1870 <i>T. mermeria excavata</i> Butler, 1868 <i>T. nympa</i> Butler, 1868 <i>T. rufomarginata</i> Staudinger, 1888

FAMILIA	SUBFAMILIA	ESPECIE
Nymphalidae	Satyrinae	<i>T. thamyra</i> (Cramer, 1779) <i>T. uncinata</i> Wymer, 1907 <i>T. virgilia</i> (Cramer, 1776) <i>Yphitimoides renata</i> (Stoll, 1780)
Riodinidae (103)	Euselasiinae (10)	<i>Euselasia aurantiaca aurantiaca</i> (Salvin & Godman, 1868) <i>E. cataleuca cataleuca</i> (R. Felder, 1869) <i>E. chrysippe</i> (Bates, 1866) <i>Euselasia</i> sp. nov. (J. & R. de la Maza, MS) aff. <i>euboea</i> (Hewitson, 1852) <i>Euselasia</i> sp. aff. <i>hieronymi</i> (Salvin & Godman, 1868) <i>E. procula</i> (Godman & Salvin, 1885) <i>E. pusilla</i> (R. Felder, 1869) <i>E. regipennis regipennis</i> (Butler & Druce, 1872) <i>Euselasia</i> sp. aff. <i>sergia</i> (Godman & Salvin, 1885) <i>Hades noctula</i> Westwood, 1851
	Riodininae (93)	<i>Ancyluris inca inca</i> Saunders, 1850 <i>A. jurgensenii jurgensenii</i> (Saunders, 1850) <i>Anteros carausius carausius</i> Westwood, 1851 <i>A. micon</i> Druce, 1875 <i>A. roratus</i> Godman & Salvin, 1886 <i>Apodemia</i> sp. nov. (J. & R. de la Maza, MS) <i>Argyrogrammana stilbe holosticta</i> (Godman & Salvin, 1878) <i>Baeotis sulphurea</i> (R. Felder, 1869) <i>B. zonata zonata</i> R. Felder, 1869 <i>Behemotia godmanii</i> (Dewitz, 1877) <i>Calephelis mexicana</i> Mc. Alpin, 1971 <i>C. tikal</i> Austin, 1993 <i>C. velutina</i> (Godman & Salvin, 1878) <i>Calospila pelarge</i> (Godman & Salvin, 1878) <i>Caria domitianus vegento</i> Clench, 1967. <i>C. mantinea lampeto</i> Godman & Salvin, 1886 <i>C. rhacotis</i> (Godman & Salvin, 1878) <i>Chalodeta chaonitis</i> (Hewitson, 1866) <i>Chimastrum argentea argentea</i> (Bates, 1866) <i>Detritivora barnesii</i> (Hall & Harvey, 2001) <i>Emesis aurimna</i> (Boisduval, 1870) <i>E. brimo</i> ssp. nov. (J. & R. de la Maza, MS) <i>E. emesia</i> ssp. nov. (J. & R. de la Maza, MS) <i>E. fatimella nobilata</i> Stichel, 1910 <i>E. liodes</i> Godman & Salvin, 1886 <i>E. lupina lupina</i> Godman & Salvin, 1886 <i>E. mandana furor</i> Butler & Druce, 1872 <i>E. ocy pore aethalia</i> Bates, 1868 <i>E. tegula</i> Godman & Salvin 1886 <i>E. tenedia</i> C. & R. Felder, 1861. <i>Esthemopsis pherephatte pherephatte</i> (Godart, 1824)

FAMILIA	SUBFAMILIA	ESPECIE
Riodinidae	Riodininae	<i>Eurybia elvina</i> Stichel, 1910. <i>E. lycisca</i> Westwood, 1851 <i>E. patrona persona</i> Staudinger, 1876 <i>Hyphilaria thasus subrutila</i> Stichel, 1911 <i>Hypophylla sudias sudias</i> (Hewitson, 1858) <i>Isapis agyrtus hera</i> Godman & Salvin, 1886 <i>Ithomiola theages tessera</i> Hall & Harvery, 2005 <i>Juditha caucana</i> (Stichel, 1911) <i>Lasaia agesilas callaina</i> Clench, 1972 <i>L. meris</i> (Stoll, 1781) <i>L. sessilis</i> Schaus, 1890 <i>L. sula peninsularis</i> Clench, 1972 <i>Leucochimona lepida nivalis</i> (Godman & Salvin, 1885) <i>L. vestalis vestalis</i> (Bates, 1865) <i>Lyropteryx lyra cleadas</i> Druce, 1875. <i>Melanis pixe pixe</i> (Boisduval, 1836) <i>Menander menander purpurata</i> Godman & Salvin, 1878 <i>Mesene croceella</i> Bates, 1865 <i>M. leucopus</i> Godman & Salvin, 1886. <i>M. margaretta margaretta</i> White, 1843 <i>M. phareus</i> (Cramer, 1777) <i>M. silaris</i> Godman & Salvin, 1878. <i>Mesosemia gaudiolum</i> Bates, 1865. <i>M. lamachus tetrica</i> Stichel, 1911 <i>M. telegone telegne</i> Boisduval, 1836 <i>Napaea beltiana</i> ssp. aff. <i>malis</i> Godman, 1903 <i>N. eucharila</i> (Bates, 1867) <i>N. rufolimba</i> Hall, 2005 <i>Notheme erota diadema</i> Stichel, 1910 <i>Nymphidium ascolia ascolides</i> Boisduval, 1870 <i>N. lenocinium</i> Schaus, 1913 <i>Pachytone gigas</i> Godman & Salvin, 1878 <i>Panaropsis elegans</i> (Schaus, 1920) <i>Periplacis glaucoma isthmica</i> (Godman & Salvin, 1878) <i>Perophthalma lasus</i> Westwood, 1851 <i>Pheles eulesca</i> (Dyar, 1909) <i>P. melanchroia</i> (C. & R. Felder, 1865) <i>Pirascca tyriotes</i> (Godman & Salvin 1878) <i>Rhetus arcus thia</i> (Morisse, 1838) <i>R. periander naevianus</i> Stichel, 1910 <i>Sarota acantus</i> (Stoll, 1781) <i>S. chrysus</i> (Stoll, 1781) <i>S. gamelia gamelia</i> Godman & Salvin, 1886 <i>S. myrtia</i> Godman & Salvin, 1886 <i>Symmachia accusatrix</i> Westwood, 1851 <i>S. probetor championi</i> Godman & Salvin, 1886 <i>S. rubina rubina</i> Bates, 1866

FAMILIA	SUBFAMILIA	ESPECIE
Riodinidae	Riodininae	<i>S. tricolor</i> Hewitson, 1867 <i>S. virgatula virgatula</i> Stichel, 1910 <i>Synargis mycone</i> (Hewitson, 1865) <i>S. nymphidioides nymphidioides</i> (Butler, 1872) <i>Theope bacenis</i> Schaus, 1890 <i>T. cratylus</i> Godman & Salvin, 1886 <i>T. devriesi</i> Hall & Willmott, 1996 <i>T. eupolis</i> Schaus, 1890 <i>T. pedias</i> Herrich-Schaffer, 1853 <i>T. pseudopedias</i> Hall, 1999 <i>T. publius incompositus</i> Hall, 1861 <i>T. virgilius</i> (Fabricius, 1793) <i>Thisbe irenea</i> (Stoll, 1780) <i>T. lycorias</i> Hewitson, 1853 <i>Voltinia umbra</i> (Boisduval, 1870).
Lycaenidae (115)	Theclinae (110)	<i>Allosamaitia strophius</i> (Godart, 1824) <i>Arawacus leucogyna</i> (C. & R. Felder 1865) <i>A. sito</i> (Boisduval, 1836) <i>A. togarna</i> (Hewitson, 1867) <i>Arcas cypria</i> (Geyer, 1837) <i>A. imperialis</i> (Cramer, 1775) <i>Arcecla arza</i> (Hewitson, 1874) <i>Arumecla galliena</i> (Hewitson 1877) <i>Atlides polybe</i> (Linnaeus, 1763) <i>Brangas carthaea</i> (Hewitson, 1868) <i>B. coccineifrons</i> (Godman & Salvin, 1887) <i>B. neora</i> (Hewitson, 1867) <i>Brevianta busa</i> (Godman & Salvin, 1887) <i>Calycopis</i> sp. aff. <i>amplia</i> Hewitson, 1877 <i>C. atnius</i> Herrich-Schafer, 1853 <i>C. bactra</i> (Hewitson, 1877) <i>C. calus</i> (Godart, 1824) <i>C. demonassa</i> (Hewitson, 1868) <i>C. dusilla</i> Field, 1967 <i>C. isobeaon</i> (Butler & Druce, 1872) <i>C. origo</i> (Godman & Salvin, 1887) <i>C. pisis</i> (Godman & Salvin, 1887) <i>Calycopis</i> sp. aff. <i>puppius</i> (Godman & Salvin, 1887) <i>C. trebula</i> (Hewitson, 1868) <i>Chalybs jantias</i> (Cramer, 1779) <i>Chlorostrymon simaethis sarita</i> (Skinner, 1895) <i>Cupathecla cupentus</i> (Stoll, 1781) <i>Cyanophrys amyntor</i> (Cramer, 1775) <i>C. fusius</i> (Godman & Salvin, 1887) <i>C. herodotus</i> (Fabricius, 1793) <i>C. miserabilis</i> (Clench, 1946)

FAMILIA	SUBFAMILIA	ESPECIE
Lycaenidae	Theclinae	<i>Dicya carnica</i> (Hewitson, 1873)
		<i>Electrostrymon guzanta</i> (Schaus, 1902)
		<i>Enos falerina</i> (Hewitson, 1867)
		<i>Eumaeus childrenae</i> (Gray, 1832)
		<i>E. toxea</i> (Godart, 1824)
		<i>Evenus batesii</i> (Hewitson, 1865)
		<i>E. coronata</i> (Hewitson, 1865)
		<i>E. regalis</i> (Cramer, 1775)
		<i>Gargina gnosia</i> (Hewitson, 1868)
		<i>Hypostrymon asa</i> (Hewitson, 1868)
		<i>Iaspis</i> sp. aff. <i>castimonia</i> (Druce, 1907)
		<i>I. castitas</i> (Druce, 1907)
		<i>I. talayra</i> (Hewitson, 1868)
		<i>I. temesa</i> (Hewitson, 1868)
		<i>I. thabena</i> (Hewitson, 1868)
		<i>Ignata norax</i> (Godman & Salvin 1887)
		<i>Janthecla janthina</i> (Hewitson, 1867)
		<i>J. janthodonia</i> (Dyar, 1918)
		<i>J. rocena</i> (Hewitson, 1867)
		<i>Janthecla</i> sp.
		<i>Kolana ligurina</i> (Hewitson, 1874)
		<i>Lamprospilus collucia</i> (Hewitson, 1877)
		<i>Laothus barajo</i> (Reakirt, 1867)
		<i>Michaelus ira</i> (Hewitson, 1867)
		<i>M. jebus</i> (Godart, 1824)
		<i>M. thordesa</i> (Hewitson, 1867)
		<i>Ministrymon arola</i> (Hewitson, 1868)
		<i>M. phrutus</i> (Geyer, 1832)
		<i>Ocaria thales</i> (Fabricius, 1793)
		<i>Oenomaus atena</i> (Hewitson, 1867)
		<i>O. atesa</i> (Hewitson, 1867)
		<i>O. ortygnus</i> (Cramer, 1779)
		<i>Ostrinotes empusa</i> (Hewitson, 1867)
		<i>O. halciones</i> (Butler & Druce, 1872)
		<i>O. keila</i> (Hewitson, 1869)
		<i>Paiwarria antinous</i> (C. & R. Felder & Felder, 1865)
		<i>Panthecla minyia</i> Hewitson, 1867
		<i>Panthiades bathildis</i> (C. & R. Felder, 1865)
		<i>P. bitias</i> (Cramer, 1777)
		<i>P. ochus</i> (Godman & Salvin, 1887)
		<i>P. phaleros</i> (Linnaeus, 1767)
		<i>Parrhasius orgia</i> (Hewitson, 1867)
		<i>P. polibetes</i> (Stoll, 1781)
		<i>Pseudolycaena damo</i> (Druce, 1875)
		<i>Rekoa marius</i> (Lucas, 1857)
		<i>R. meton</i> (Cramer, 1779)
		<i>R. palegon</i> (Cramer, 1780)

FAMILIA	SUBFAMILIA	ESPECIE		
Lycaenidae	Theclinae	<i>Selmia selmus</i> (Cramer, 1775)		
		<i>Strephonota</i> sp. aff. <i>ambrax</i> (Westwood, 1852)		
		<i>S. ericeta</i> Hewitson, 1867		
		<i>S. syedra</i> (Hewitson, 1867)		
		<i>S. tephraeus</i> (Geyer, 1837)		
		<i>Strymon alea</i> (Godman & Salvin, 1887)		
		<i>S. bazochii bazochii</i> (Godart, 1824)		
		<i>S. bebrycia</i> (Hewitson, 1868)		
		<i>S. cestri</i> (Reakirt, 1867)		
		<i>S. istapa istapa</i> (Reakirt, 1867)		
		<i>S. megarus</i> (Godart, 1824)		
		<i>S. mulucha</i> (Hewitson, 1867)		
		<i>S. yojoa</i> (Reakirt, 1867)		
		<i>S. ziba</i> (Hewitson, 1868)		
		<i>Temecla paron</i> (Godman & Salvin, 1887)		
		<i>Theclopsis</i> sp. aff. <i>caeus</i> Godman & Salvin, 1887		
		<i>T. demea</i> (Hewitson, 1874)		
		<i>T. mycon</i> (Godman & Salvin, 1887)		
		<i>Theorema eumenia</i> Hewitson, 1865		
		<i>Thepytus arindela</i> (Hewitson, 1874)		
		<i>Thereus</i> sp. aff. <i>enenia</i> (Hewitson, 1867)		
		<i>T. oppia</i> (Godman & Salvin, 1887)		
		<i>Theritas acontius</i> (Goodson, 1945)		
		<i>T. augustinula</i> (Goodson, 1945)		
		<i>T. hemon</i> (Cramer, 1775)		
		<i>T. mavors</i> Huebner, 1818		
		<i>T. theocritus</i> (Fabricius, 1793)		
		<i>Tmolus cydrara</i> (Hewitson, 1868)		
		<i>T. echion echiolus</i> (Draudt, 1920)		
		<i>T. mutina</i> (Hewitson, 1867)		
		<i>Ziegleria ceromia</i> (Hewitson, 1877)		
		<i>Z. hesperitis</i> (Butler & Druce, 1872)		
			Polyommatae (5)	<i>Celastrina echo gozora</i> (Boisduvaol, 1870)
				<i>Cupido comyntas</i> (Godart, 1824)
				<i>Hemiargus ceraunus astenidas</i> (Lucas, 1857)
				<i>Leptotes cassius cassidula</i> (Boisduval, 1770)
				<i>Zizula cyna</i> (Edwards, 1881)
		Hesperiidae (242)	Eudaminae (84)	<i>Achalarus albociliatus albociliatus</i> (Mabille, 1877)
				<i>Aguna albistria leucogramma</i> (Mabille, 1888)
				<i>A. asander asander</i> (Hewitson, 1867)
				<i>A. aurunce hypozonius</i> (Ploetz, 1880)
				<i>A. claxon</i> (Evans, 1952)
				<i>A. coeloides</i> Austin & Mielke, 1998
		<i>A. methophis</i> (Latreille, 1824)		
		<i>Astrartes alardus latia</i> Evans, 1952		
		<i>A. anaphus annetta</i> Evans 1952		

FAMILIA	SUBFAMILIA	ESPECIE
Hesperiidae	Eudaminae	<i>A. apastus apastus</i> (Cramer, 1777)
		<i>A. chiriquensis chiriquensis</i> (Staudinger, 1876)
		<i>A. creteus crana</i> Evans, 1952
		<i>A. egregious egregious</i> (Butler, 1870)
		<i>A. enotrus</i> (Stoll, 1781)
		<i>A. fulgerator azul</i> (Reakirt, 1867)
		<i>A. phalaecus</i> (Godman & Salvin, 1893)
		<i>A. talus</i> (Cramer 1777)
		<i>A. tucuti</i> (Williams, 1927)
		<i>Autochton bipunctatus</i> (Gmelin, 1790)
		<i>A. longipennis</i> (Ploetz, 1882)
		<i>A. vectilucis</i> (Buttler, 1872)
		<i>A. zarex</i> (Huebner, 1818)
		<i>Bungalotis astylos</i> (Cramer, 1780)
		<i>B. erythus</i> (Cramer, 1775)
		<i>B. midas</i> (Cramer, 1775)
		<i>B. quadratum quadratum</i> (Sepp, 1845)
		<i>Cephise cephise</i> (Herrich Schaffer, 1869)
		<i>Chioides zilpa</i> (Butler, 1872)
		<i>Codattractus alcaeus alcaeus</i> (Hewitson, 1867)
		<i>C. carlos carlos</i> Evans, 1952
		<i>Cogia cajeta cajeta</i> (Herrich Schafer, 1869)
		<i>C. calchas</i> Herrich (Schafer, 1869)
		<i>Discophellus phraxanor lama</i> Evans 1952
		<i>D. porcius porcius</i> (C. & R. Felder, 1862)
		<i>D. ramon</i> Evans, 1952
		<i>Drephalys dumeril</i> (Latreille, 1824)
		<i>D. oria</i> Evans, 1952
		<i>D. oriander</i> (Hewitson, 1883)
		<i>Epargyreus aspina</i> Evans, 1952
		<i>E. exadeus cruza</i> Evans, 1952
		<i>E. socus orizaba</i> Scudder, 1872
		<i>E. spina spina</i> Evans, 1952
		<i>Hyalothyryus neleus pemphigargyra</i> (Mabille, 1888)
		<i>Narcosius nazaraeus</i> Steinhauser, 1986
		<i>N. parisi helen</i> (Evans, 1952)
		<i>N. samson</i> (Evans 1952)
		<i>Nascus phintias</i> Schaus, 1913
		<i>N. phocus</i> (Cramer, 1777)
		<i>N. solon corilla</i> Evans, 1952
		<i>Nicephellus nicephorus</i> (Hewitson, 1876)
		<i>Phanus albiapicalis</i> (Austin, 1993)
		<i>P. marshalli</i> (Kirby, 1880)
		<i>P. vitreus</i> (Stoll, 1781)
		<i>Phocides polybius lilea</i> (Reakirt, 1867)
		<i>P. thermus thermus</i> (Mabille, 1883)
		<i>Polygonus leo arizonensis</i> (Skinner, 1911)
<i>P. savigny savigny</i> (Latreille, 1824)		

FAMILIA	SUBFAMILIA	ESPECIE		
Hesperiidae	Eudaminae	<i>Polythrix kanshul</i> Shuey, 1991		
		<i>P. octomaculata</i> (Sepp, 1844)		
		<i>Proteides mercurius mercurius</i> (Fabricius, 1787)		
		<i>Pseudonascus paullinae</i> (Sepp, 1842)		
		<i>Ridens allyni</i> (Freeman, 1979)		
		<i>Spathilepia clonius</i> (Cramer, 1775)		
		<i>Telemiades antiope antiope</i> (Ploetz, 1882)		
		<i>T. avitus</i> (Stoll, 1781)		
		<i>T. choricus</i> (Schaus, 1902)		
		<i>T. fides</i> Bell, 1949		
		<i>T. nicomedes</i> (Moeschler, 1878)		
		<i>Typhedanus ampix</i> (Godman & Salvin, 1893)		
		<i>T. salas</i> Freeman, 1977		
		<i>T. undulatus</i> (Hewitson, 1867)		
		<i>Urbanus albimargo albimargo</i> (Mabille, 1876)		
		<i>U. belli</i> (Hayward, 1935)		
		<i>U. chales</i> ssp. nov. (J. & R. de la Maza, MS)		
		<i>U. dorantes dorantes</i> (Stoll, 1790)		
		<i>U. doryssus doryssus</i> (Swainson, 1831)		
		<i>U. esmeraldus</i> (Butler, 1877)		
		<i>U. pronta</i> Evans, 1952		
		<i>U. proteus proteus</i> (Linnaeus, 1758)		
		<i>U. simplicius</i> (Stoll, 1790)		
		<i>U. tanna</i> Evans, 1952		
		<i>U. teleus</i> (Huebner, 1821)		
		<i>U. viridis</i> Freeman, 1970		
		<i>U. viterboana</i> (Ehrmann, 1907)		
			Pyrginae (72)	
				<i>Achlyodes busirus heros</i> Ehrman 1909
				<i>Aethilla lavochea</i> Butler, 1872
				<i>A. echina echina</i> Hewitson 1870
				<i>Anastrus neaeris neaeris</i> (Moeschler, 1879)
				<i>A. sempiternus sempiternus</i> (Butler & Druce, 1872)
				<i>A. tolimus tolimus</i> (Ploetz, 1884)
				<i>A. virens albopanus</i> Austin 2002
		<i>Antigonus corrosus</i> Mabille, 1878		
		<i>A. erosus</i> (Huebner, 1812)		
		<i>A. nearchus</i> (Latreille, 1824)		
		<i>Arteurotia tractipennis tractipennis</i> Butler & Druce, 1872		
		<i>Aspitha leander</i> (Boullet, 1912)		
		<i>Bolla cupreiceps</i> (Maville, 1891)		
		<i>B. orcines</i> (Godman & Salvin 1896)		
		<i>B. subapicatus</i> (Schaus, 1902)		
		<i>Camptopleura theramenes</i> Mabille, 1877		
		<i>Carrhenes calidius</i> Godman & Salvin, 1895		
		<i>C. callipetes</i> Godman & Salvin, 1895		
		<i>C. canescens canescens</i> (R. Felder, 1869)		

FAMILIA	SUBFAMILIA	ESPECIE
Hesperiidae	Pyrginae	<i>C. fuscescens fuscescens</i> (Mabille, 1891) <i>Celaenorrhinus eligius eligius</i> (Stoll, 1781) <i>C. monartus</i> (Ploetz, 1884) <i>Chalypyge chalybea chalybea</i> (Scuder, 1872) <i>Chiomara mithrax</i> (Moeschler, 1879) <i>Eantis thraso</i> (Jung, 1792) <i>Ebrietas anacreon anacreon</i> (Staudinger, 1876) <i>E. evanidus</i> Mabille 1898 <i>E. osyris</i> (Staudinger, 1876) <i>Elbella dulcinea</i> (Ploetz, 1879) <i>E. patrobas maexicana</i> Mielke, 1995 <i>E. scylla</i> (Menétriés, 1855) <i>Gorgythion begga pyralina</i> (Moeschler, 1877) <i>Helias cama</i> Evans 1953 <i>Heliopetes arsalte</i> (Linnaeus, 1758) <i>H. alana</i> (Reakirt, 1868) <i>H. laviana laviana</i> (Hewitson, 1868) <i>Heliopyrgus domicella domicella</i> (Erichson, 1849) <i>Jemadia pseudognetus</i> (Mabille, 1878) <i>Melanopyge erythrostickta</i> (Godman & Salvin, 1879) <i>M. hoffmanii</i> (Freeman, 1977) <i>Mylon cristata</i> Austin, 2000 <i>M. maimon</i> (Fabricius, 1775) <i>M. pelopidas</i> (Fabricius, 1793) <i>Myscelus amystis hages</i> Godman & Salvin, 1893 <i>M. assaricus michaeli</i> Nicolai, 1975 <i>M. belti belti</i> Godman & Salvin, 1879 <i>Mysoria ambigua</i> (Mabille & Boulet, 1908) <i>Nisoniades godma</i> Evans, 1953 <i>N. laurentina</i> (Williams & Bell, 1939) <i>Noctuana stator</i> (Godman, 1899) <i>Ouleus bubaris</i> (Godman & Salvin 1895) <i>O. cyrna</i> Mabille 1895 <i>O. panna</i> Evans, 1953 <i>Paches loxus gloriosus</i> Roeber, 1925 <i>Pachyneura licisca</i> (Ploetz, 1882) <i>Pellicia arina</i> Evans 1953 <i>Perelbella macleananni</i> (Godman & Salvin, 1893) <i>Pyrgus adepta</i> Ploetz, 1884 <i>P. oileus</i> (Linnaeus, 1767) <i>P. philetas</i> (Edwards, 1881) <i>Pyrrhopyge crida</i> (Hewitson, 1871) <i>P. zenodorus</i> Godman & Salvin, 1893 <i>Pythonides jovianus amaryllis</i> Staudinger, 1876 <i>P. proxenus</i> (Godman & Salvin, 1895) <i>P. pteris</i> (Godman & Salvin, 1895) <i>Quadrus cerealis</i> (Stoll, 1782)

FAMILIA	SUBFAMILIA	ESPECIE
Hesperiidae	Pyrginae	<i>Q. contubernalis</i> (Mabille, 1883) <i>Sostrata nordica</i> Evans, 1953 <i>Staphylus mazans</i> (Reakirt, 1867) <i>Systasea pulverulenta</i> (R. Felder, 1869) <i>Timochares trifasciata trifasciata</i> (Hewitson, 1868) <i>Xenophanes tryxus</i> (Stoll 1780)
	Hesperiinae (86)	<i>Aides</i> sp. aff. <i>anchora</i> Hewitson, 1866 <i>A. dysoni</i> Godman, 1900 <i>Anthoptus epicetus</i> (Fabricius, 1793) <i>A. insignis</i> (Ploetz, 1882) <i>Apaustus gracilis gracilis</i> (C. & R. Felder, 1867) <i>Arita arita</i> Schaus, 1902 <i>Artines aepitus</i> (Geyer, 1832) <i>Callimormus corades</i> (C. Felder, 1862) <i>C. juvenis</i> Scudder, 1872 <i>C. radiola radiola</i> (Mabille, 1878) <i>C. saturnus</i> (Herrich-Schafer, 1869) <i>Carystoides basoches basoches</i> (Latreille, 1824) <i>C. escalantei</i> Freeman, 1969 <i>C. hondura</i> Evans, 1955 <i>C. lila</i> Evans, 1955 <i>Carystus phorcus phorcus</i> (Cramer, 1777) <i>C. ploetzi</i> Mielke & Casagrande, 2002 <i>Cobalus fidicula</i> (Hewitson, 1877) <i>Cymaenes fraus</i> (Godman, 1900) <i>C. trebius</i> (Mabille, 1891) <i>C. tripunctus theogenis</i> (Capronnier, 1874) <i>Cynea megalops</i> (Godman, 1900) <i>Damas clavus</i> (Herrich-Schafer, 1869) <i>Decinea percosius</i> (Godman, 1900) <i>D. rindgei</i> Freeman, 1969 <i>Dubiella fiscella belpa</i> Evans, 1955 <i>Eutychide complana</i> (Herrich-Schafer, 1869) <i>Hylephila phylaeus phylaeus</i> (Drury, 1773) <i>Justinia norda</i> Evans, 1955 <i>Lerema liris</i> Evans, 1955 <i>Librita librita</i> (Ploetz, 1886) <i>Lycas argentea</i> (Hewitson, 1866) <i>Methion melas</i> Godman, 1900 <i>Metron chrysogastra chrysogastra</i> (Buttler, 1870) <i>M. zymra</i> (Hewitson, 1877) <i>Mnasicles geta</i> Godman, 1901 <i>Mnasinous patage</i> Godman, 1900 <i>Mnasitheus simplicissima</i> (Herrich-Schafer, 1870) <i>Moeris striga stroma</i> Evans, 1955 <i>Morys lyde</i> (Godman, 1900)

FAMILIA	SUBFAMILIA	ESPECIE
Hesperiidae	Hesperiinae	<i>Neoxeniades luda</i> (Hewitson, 1867) <i>Niconiades incomptus</i> Austin 1997 <i>Nyctelius nyctelius nyctelius</i> (Latreille, 1824) <i>Onophas columbaria columbaria</i> (Herrich-Schaffer, 1870) <i>Orses cynisca</i> (Swainson, 1821) <i>Panoquina evadnes</i> (Stoll, 1781) <i>P. hecebolus</i> (Scudder, 1872) <i>P. lucas lucas</i> (Fabricius, 1793) <i>P. panoquinoides panoquinoides</i> (Skinner, 1891) <i>P. pauper pauper</i> (Mabille, 1878) <i>Parphorus decora</i> (Herrich-Schaffer, 1869) <i>Perichares adela</i> (Hewitson, 1867) <i>Phanes alethes</i> (Geyer, 1832) <i>Phemiades rufescens</i> (Steinhauser & Austin, 1993) <i>Pheraeus covadonga covadonga</i> Freeman, 1969 <i>Phlebodes campo sifax</i> Evans <i>Polites vibex praeceps</i> (Scudder, 1872) <i>Pompeius pompeius</i> (Latreille, 1824) <i>P. verna</i> Edwards, 1882 <i>Remella duena</i> (Evans, 1955) <i>Rhinthon molion</i> (Godman, 1901) <i>Saliana esperi esperi</i> Evans, 1955 <i>S. fusta</i> Evans 1955 <i>S. longirostris</i> (Sepp, 1840) <i>S. salius</i> (Cramer, 1775) <i>S. triangularis</i> (Kaye, 1914) <i>Sucova sucova</i> (Schaus, 1902) <i>Synapte silius</i> (Latreille, 1824) <i>Talides sinosis</i> Huebner, 1819 <i>Thespeius dalman</i> (Latreille, 1824) <i>Thoon modius</i> (Mabille, 1889) <i>Thracides arcalaus</i> (Stoll, 1782) <i>Tiryntia conflua</i> (Herrich-Schafer, 1869) <i>Tromba xanthura</i> (Godman, 1901) <i>Vehilius stictomenes illudens</i> (Mabille, 1891) <i>Vettius lafrenaye pica</i> (Herrich-Schafer, 1869) <i>V. marcus</i> (Fabricius, 1787) <i>V. tertianus</i> (Herrich-Schaffer, 1869) <i>Vertica verticalis grandipuncta</i> (Mabille, 1883) <i>Vinius tryhana tryhana</i> (Kaye, 1914) <i>Virga clenchi</i> Miller, 1970 <i>V. virginus</i> (Moeshler, 1883) <i>Xeniades chalestra pteris</i> Godman, 1900 <i>X. orchamus orchamus</i> (Cramer, 1777) <i>Zenis jebus hemizona</i> (Dyar, 1918) <i>Z. minos</i> (Latreille, 1824)